

Nádražní 218 679 63 Velké Opatovice

MATERIAL SAFETY DATA SHEET (Nr.26)

according to the Regulation of the European Parliament and Council Regulation (EC) no. 1907/2006 (REACH), as amended by Commission Regulation (EU) No. 2015/830

Date of issue: 1 January 2006 Page: 1/6 Revision date: 03.January 2020 Rev.: 5

Product name: Refractory mastic

Product group: RUDOKIT

Quality class: **ALUCHROM**, **RK85-04PV**

SECTION 1. SUBSTANCE/MIXTURE AND MANUFACTURER IDENTIFICATION

1.1 Product identifier:

Business name: Refractory mastic

CAS no: n/a (mixture) EC (EINECS) no: n/a (mixture)

Index no: n/a (mixture) REACH registration no: N/A for mixtures

Other names: None.

1.2 Designed applications of substance or mixture and non-recommended applications:

Building industry – wet refractory mastic with a chemical binding agent. It is designed for masonry work and sealing refractory and fibrous materials and for forming a levelling or protective layer.

1.3 Detailed data of material safety data sheet supplier:

Manufacturer: P-D Refractories CZ a.s.

Address: Nádražní 218, 679 63 Velké Opatovice Phone: +420 516 493 111, Fax: +420 516 477 338

Email address of competent person responsible for material safety data sheet:

Milan.Mazura@pd-group.com

1.4 Emergency phone:

Toxicological information centre -+420 224919293, 224915402

Na Bojišti 1, 128 08 PRAGUE 2

SECTION 2. HAZARD IDENTIFICATION

2.1 Classification of substance or mixture:

The product is not classified as hazardous pursuant to Dangerous Preparation Directive (1999/45/EC) nor pursuant to Regulation of the European Parliament and of the Council (EC) no 1272/2008 CLP.

2.2 Identification elements:

The product is not subject to compulsory identification.

2.3 Other hazards:

None are specified.

SECTION 3. COMPOSITION/COMPONENT INFORMATION

3.1. Description and characteristics:

The wet refractory mastic based on refractory grog with added Cr_2O_3 with phosphate binding. Plastic mastic with a chemical binding agent comprising of 80-90% non-fibrous aluminium oxide (CAS: 1344-28-1, EC: 215-691-6), 0-2% silicon dioxide - quartz (CAS: 14808-60-7, EC: 238-878-4), 0-2% cristobalite (CAS: 14464-46-1, EC: 238-455-4). The content of chrome oxide is 3-5% (CAS: 1308-38-9, EC: 215-160-9).

3.2. Substances dangerous for health or the environment:

Name of component	Concentration % mass	CAS EC Index number Registration number	Classification according to 1272/2008/EC
Orthophosphate acid 28%	max. 8	7664-38-2 231633-2 015-011-00-6 Not given	Skin. Corr. 1B, H314

Note:

The complete wording of the stated R and H clauses and classification symbols are provided in Section 16. Substances with workplace exposure limits:

See data in 8.1.

Persistent, bio-accumulative and toxic, highly persistent and highly bio-accumulative substances:

The product does not contain PBT and vPvB.

SECTION 4. FIRST AID INSTRUCTIONS

4.1 First aid description:



Nádražní 218 679 63 Velké Opatovice

MATERIAL SAFETY DATA SHEET (Nr.26)

according to the Regulation of the European Parliament and Council Regulation (EC) no. 1907/2006 (REACH), as amended by Commission Regulation (EU) No. 2015/830

Date of issue: 1 January 2006 Page: 2/6 Revision date: 03.January 2020 Rev.: 5

Product name: Refractory mastic

Product group: RUDOKIT

Quality class: ALUCHROM, RK85-04PV

4.1.1 First aid instructions:

General instructions: Observe rules of work hygiene when working with this material. In the case of severe

symptoms seek medical advice. Immediate medical attention is not necessary.

Inhalation: The sealant is in a plastic state, it does not irritate airways.

Skin contact: Remove the exposed person away from the source of contamination. Remove

contaminated clothing and boots, clean both before further use. Quickly and carefully wash the exposed skin with warm water and soap or other skin cleansing agents and

treat with a suitable cream.

Eye contact: Wash with plenty of lukewarm water. After rinsing use a suitable eye lotion. Wash the

eye surroundings with water too. In the case of eye injury seek medical attention.

<u>Swallowing</u>: Never evoke vomiting in unconscious person! Do not serve drinks to unconscious person! Rinse the mouth with water carefully, drink a couple of glasses of water.

4.1.2 Additional data: a) Immediate medical attention is recommended in the case of swallowing.

idia. a) initiediate medical attention is recommended in the case of swanowing.

- b) In the case of inhalation moving the exposed person to fresh air is recommended.
- c) Remove contaminated parts of clothing.
- d) Recommended personal protective means to persons providing first aid: See section 8

4.2 Major acute and delayed symptoms and effects:

It may cause skin irritation.

Exposed eye irritation even burning.

A burning sensation in the mouth upon ingestion. Gastrointestinal symptoms include nausea, vomiting.

4.3 Instruction concerning immediate medical attention and special treatment:

Visit a doctor in the case of nausea.

SECTION 5. FIRE-FIGHTING MEASURES

<u>5.1 Extinguishing agents</u>: **Suitable:** Non-flammable. Packaging material used may be flammable, use appropriate extinguishing agent depending on the surrounding fire.

Non-suitable: None are specified.

- 5.2 Special hazards following from the substance or mixture: None are known.
- 5.3 Instructions for fire-fighters: Use equipment depending on the surrounding fire. Non-flammable material.

SECTION 6. PRECAUTIONS IN CASE OF ACCIDENTAL LEAK

- 6.1 Precautions for personnel protection, protective means and emergency procedures:
- 6.1.1 For staff except for emergency intervention staff

Restrict unauthorised access to the exposed area until emergency elimination. In the case of large leaks secure the area against unauthorised access.

6.1.2 For emergency intervention staff:

Prevent further dust spread through the air. Use personal protective equipment (see section 8). Other special precautions are not necessary.

- <u>6.2 Environment protection measures</u>: No acute negative effects on the environment. Prevent further dust spread through the air. Place the devalued product in specified waste collection containers.
- <u>6.3 Methods and materials for leak minimisation and cleaning:</u> Spilled product should be placed in designated waste containers. Other special precautions are not necessary.
- $\underline{\text{6.4 References to other sections:}} \ Personal \ protective \ equipment-section \ 8.$

Waste disposal – section 13.

SECTION 7. STORAGE AND HANDLING

- 7.1 Precautions for safe handling:
- 7.1.1 Particular recommendations: Prevent leakage of product during handling.
- <u>7.1.2 General hygienic instructions for work:</u> Use personal protective equipment where necessary. Other special precautions are not necessary.
- 7.2 Conditions for safe storage: Store in a dry place. Storage limits: None are specified.
- <u>7.3 Specific final application requirements:</u> No other requirements and instructions except for the data included in section 1.2.



Nádražní 218 679 63 Velké Opatovice

MATERIAL SAFETY DATA SHEET (Nr.26)

according to the Regulation of the European Parliament and Council Regulation (EC) no. 1907/2006 (REACH), as amended by Commission Regulation (EU) No. 2015/830

Date of issue: 1 January 2006 Page: 3/6 Revision date: 03.January 2020 Rev.: 5

Product name: Refractory mastic

Product group: RUDOKIT

Quality class: ALUCHROM, RK85-04PV

SECTION 8. EXPOSURE LIMITATIONS/PERSONAL PROTECTIVE EQUIPMENT

<u>8.1 Control parameters:</u> Governed by Government Regulation no 361/2007 Coll., stipulating conditions of occupational health protection, as amended, Annex 3:

No hygienic limits are specified for the product.

With regard to the character of the preparation, it is possible to use the following values **for conditions** when dust is produced (i.e. division and working of the hardened compound):

For dust with prevailingly fibrogenic effect:

Tor dust with providingly horogenic chieve.				
Substance	PEL_{r} (mg.m ⁻³)		$PEL_c (mg.m^{-3})$	
	(respirabl	e fraction)	(total fraction)	
Quartz, cristobalite	0,1			
Substance	PEL (1	mg.m ⁻³)	PEL_c (mg.m ⁻³)	
	$F_r \! \leq 5\%$	$F_r > 5\%$		
Other silicates	2.0	10 : F _r	10	
$(F_r = respirable fraction)$				
For dust with potential fibrogenic effect:				
Substance	PEL_{c} (mg.m ⁻³)			
		(total fraction	on)	
Amorphous SiO ₂		4.0)	
For dust with prevailingly non-specific effect				
Substance	PEL (mg.m ⁻³)			
Aluminium and its oxides (except for gamma A	Al ₂ O ₃)		10	

8.2 Exposure limitations:

- <u>8.2.1 Appropriate technical controls</u>: Ventilation Where dust content in the air may be controlled with technical methods (local exhaustion, ventilation etc.)
- 8.2.2 Individual protective measures including personal protective equipment:

<u>Hygienic conditions:</u> Prevent eye contact, do not inhale.

Do not stay in places with higher dust concentrations without cause

Observe routine personal hygiene before eating, drinking, toilet use and after

work.

Personal protective equipment:

Eye and face protection: Use protective goggles with side pieces in the places of excessive dust

formation.

Skin – hand protection: Protective work gloves (for example leather).

Skin – other protection: Work clothes and boots.

<u>Respiratory tract protection</u>: In the case of exceeded NPK (exposure limit) use a respirator with filter against fibrogenic dust

Thermal hazard: N/A

8.2.3 Limitations of environment exposure:

Prevent flying dust during cutting, grinding, breaking etc.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

The information relates to mixture.

9.1 Information about basic physical and chemical properties

a) Appearance Solid state - green plastic compound.

b) Odour None.

c) Odour threshold Not specified.

d) pH 1-3

e) Melting / solidification point
f) Initial boiling point and range
g) Ignition point
Not specified.
Non-flammable.



Nádražní 218 679 63 Velké Opatovice

MATERIAL SAFETY DATA SHEET (Nr.26)

according to the Regulation of the European Parliament and Council Regulation (EC) no. 1907/2006 (REACH), as amended by Commission Regulation (EU) No. 2015/830

Date of issue: 1 January 2006 Page: 4/6 Revision date: 03.January 2020 Rev.: 5

Product name: Refractory mastic

Product group: RUDOKIT

Quality class: ALUCHROM, RK85-04PV

h) Evaporation speed
i) Flammability (solid subst., gas)
j) Upper/lower limit of flammability
Not specified.
Not specified.

or explosiveness

k) Vapour pressure Not specified. l) Vapour density Not specified

m) Relative density 2.5-3.5 g/cm³ (bulk density)

n) Solubility Non-soluble o) Differentiation coefficient: n- Not specified.

octanol/water

p) Self-ignition temperature Non-flammable.
q) Decomposition temperature Not specified.
r) Dynamic viscosity Not specified.
s) Explosive properties None.
t) Oxidisation properties None.

9.2. Other information

Solvent content (VOC) 0% (according to definition of the air protection act)

Note:

"Not specified": irrelevant for the product "None": not available for the product.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity: No decomposition under appropriate storage and use conditions.

10.2 Chemical stability: The product is stable under normal conditions.

10.3 Possible dangerous reactions: Reaction with strong alkalis.

10.4 Conditions to be avoided: None.
10.5 Incompatible materials: Strong alkalis.

10.6 Dangerous decomposition products: None.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information about toxicological effects:

Ways of entry to organism: No acute or chronic effects when entering through common ways of entry. a) Acute toxicity:

- LD₅₀, oral, rat (mg.kg⁻¹): not specified

- LD₅₀, dermal, rat or rabbit (mg.kg⁻¹): not specified

LC₅₀, inhalation, rat, for aerosols or particles (mg.kg⁻¹): not specified
 LC₅₀, inhalation, rat, for gases and vapours (mg.kg⁻¹): not specified

Swallowing: May damaged the digestive tract if swallowed.

Skin contact: Irritant.

Eye contact Can cause rapid eye damage.

Sensitisation of respiratory tract / skin:Not classified.Mutagenicity in embryonic cells:Not classified.Carcinogenicity:Not classified.Toxicity for reproduction:Not classified.

<u>Toxicity for specific target organs – single exposition:</u>

Toxicity for specific target organs – multiple expositions: STOT - repeated expositions: Not classified.

<u>Dangers on inhalation</u>: The dry form can irritate.

Other information: The product may contain crystalline quartzite. Product dust inhalation is considered a source of minimum risk of lung fibrosis (silicosis). Chronic obstructive lung disorder is only suspected after very long exposition times (years) under exposure concentrations exceeding the permitted limits.

Carcinogenicity of cristobalite for humans has not been unambiguously proved.



Nádražní 218 679 63 Velké Opatovice

MATERIAL SAFETY DATA SHEET (Nr.26)

according to the Regulation of the European Parliament and Council Regulation (EC) no. 1907/2006 (REACH), as amended by Commission Regulation (EU) No. 2015/830

Date of issue: 1 January 2006 Page: 5/6 Revision date: 03.January 2020 Rev.: 5

Product name: Refractory mastic

Product group: RUDOKIT

Quality class: ALUCHROM, RK85-04PV

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity for aqueous organisms: A natural material by origin, no assumed toxic effects on aqueous

organisms.

12.2 Persistence and degradability: The product is inert and does not degrade.

12.3 Bioaccumulation potential: Data not available.

12.4 Mobility in soil: Data not available.

12.5. Results of PBT and VPvB assessment: Not required.

12.6. Other unfavourable effects: The product is inert and other potential negative effects are connected with

mechanical effects of dust formation.

SECTION 13. DISPOSAL INSTRUCTIONS

<u>13.1 Methods of waste disposal:</u> Dumping on specified dumps. Disposal by release to sewerage: Excluded by the product nature.

Waste classification according to Decree 93/2016 Coll. (Waste Catalogue):

10 12 01 Waste ceramic material before thermal processing, cat. O.

13.2 Methods of contaminated waste disposal: According to the nature of package construction material the waste is classified in group 15 01 Packaging materials (including separately collected communal waste packaging materials)., cat. O. Empty package without content residues may be disposed of by procedures dictated by the construction material of the package (repurchase, recycling, dumping, incineration).

13.2 Appropriate methods of disposal of substance of mixture:

13.3 Waste legislation: Act no 185/2001 Coll., on Waste

93/2016 Coll., On the Waste Catalogue

Decree no 383/2001 Coll. on waste Disposal Details

SECTION 14. TRANSPORT INFORMATION

14.1 UN no:

Not subject to regulations for dangerous object transport.

14.2 UN name for consignment:

Not subject to regulations for dangerous object transport.

14.3 Class/classes of dangers for transport:

Not subject to regulations for dangerous object transport.

14.4 Package group:

Not subject to regulations for dangerous object transport.

14.5 Environment hazards:

Not subject to regulations for dangerous object transport.

14.6 Special safety precautions for users:

Not subject to regulations for dangerous object transport.

14.7 Bulk transport according to Annex II MARPOL 73/78 and IBC regulation:

Not subject to regulations for dangerous object transport.

SECTION 15. REGULATORY INFORMATION

15.1 Regulations concerning safety, health and environment/specific legislation concerning substance or mixture

Act no 254/2001 Coll. on Waters (Water Act), as amended

Act no 185/2001 Coll., on Waste, as amended

Act no 201/2012 Coll., on Air Protection

Act no 258/2000 Coll., on Public Health Protection, as amended

Act no 350/2011 Coll. of 27 October 2011 on Chemical Substances and Mixtures and on amendment to certain other acts (Chemical Act)

Government Regulation no 361/2007 Coll., as amended, stipulating conditions for occupational health, including PEL and NPK exposure limits (see 8 above).

Regulation (EC) no 1907/2006 on Registration, Evaluation, Authorisation & Restriction of Chemicals and on Establishment of European Chemical Agency, as amended (REACH).



679 63 Velké Opatovice

MATERIAL SAFETY DATA SHEET (Nr.26)

according to the Regulation of the European Parliament and Council Regulation (EC) no. 1907/2006 (REACH), as amended by Commission Regulation (EU) No. 2015/830

Date of issue: 1 January 2006 Page: 6/6
Revision date: 03.January 2020 Rev.: 5

Product name: Refractory mastic

Product group: RUDOKIT

Quality class: **ALUCHROM, RK85-04PV**

Regulation (EC) no 1272/2008 of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and on amendment of Regulation (EC) no 907/2006 (CLP)

15.2 Chemical safety assessment

There are no available data for assessment of safety of chemical substances for this material.

SECTION 16. OTHER INFORMATION

Data on amendments and revisions:

Rev. no	Date	Amendment description	
1.	6 Nov 2007	Change of structure and form of the whole material safety data sheet according to Annex II to Regulation of the European Parliament and of the Council (EC) no 1907/2006 (REACH)	
2.	20 Nov 2012	Periodic revision	
3.	21 Aug 2013	Overall reformulation of MSDS in compliance with the effective Annex II to Regulation (EC) no 1907/2006	
4.	18 Nov 2016	Modification of the text in Section 1.2, 3.2, 8.1, 9.1, 13.3, 15.1 and 16 – without any impact on classification and the stated principles of manipulation.	
5.	3.Jan.2020	Updates to Chapters 1.3, 13.1, 15.1, 16	

<u>Impo03.rtant literature references and data sources:</u> Data contained in this material safety data sheet were compiled from materials of the manufacturer and on the basis of effective CR and EU legislation.

<u>In the case of mixture information about which information evaluation method according to Article 9 of Regulation (EC) no 1272/2008 was used for classification purposes:</u>

Approximation according to hazards of components and physical nature of product.

<u>List of relevant standard phrases and instructions for safe use.</u> Full wording of all phrases and instructions not included in sections 2 to 15:

Symbols of CLP classification:

Skin. Corr. 1B Corrosiveness/irritability of skin, Cat. 1B

H clauses:

H314 Causes severe skin burns and eye damage.

<u>Instructions concerning all training courses for staff responsible for human health and environment protection:</u>
Staff should be informed about the principles of work with the product and required personal protective equipment in the context of regular OHS training.

Recommended limitations for use:

Use exclusively for purposes specified by the manufacturer.

The following recommendations should be preserved when handling the product. For the sake of unification the recommendations are formulated in the form of P-phrases (Instructions for safe handling):

P262 Avoid contact with eyes, skin or clothing.

P302+P352 DURING SKIN CONTACT: Wash with plenty of soap and water.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

Other information:

The above data describe exclusively safety requirements for products and are based on current knowledge. They do not describe product properties in the sense of quality parameters and legislative regulations for warranty compliance.

End of material safety data sheet.